**Revision Number:** 009.1

**Issue date:** 05/01/2025

## 1. IDENTIFICATION

**Product name:** BONDERITE C-IC 33 ACID DEOXIDIZER known as TURCO ALUMIPREP 33

**IDH number:** 1273393

**Product type/ Recommended use:** Acidic Cleaner for Industrial Application

**Item number:** 1273393

**Restriction of Use:** None identified

**Region:** Canada

**Company address:**
Henkel Canada Corporation
Meadowpine Boulevard 2515
Mississauga, Ontario L5N 6C3

**Contact information:**
Telephone: +1 (905) 814-6511
MEDICAL EMERGENCY Phone: Poison Control Center
1-877-671-4608 (toll free) or 1-303-592-1711
TRANSPORT EMERGENCY Phone: CHEMTREC
1-800-424-9300 (toll free) or 1-703-527-3887
Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW**

DANGER:

H227 - COMBUSTIBLE LIQUID.
H290 - MAY BE CORROSIVE TO METALS.
H302+H332 - HARMFUL IF SWALLOWED OR IF INHALED.
H311 - TOXIC IN CONTACT WITH SKIN.
H314 - CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

| HAZARD CLASS | HAZARD CATEGORY |
|---|---|
| FLAMMABLE LIQUID | 4 |
| CORROSIVE TO METALS | 1 |
| ACUTE TOXICITY ORAL | 4 |
| ACUTE TOXICITY INHALATION | 4 |
| ACUTE TOXICITY DERMAL | 3 |
| SKIN CORROSION | 1 |
| SERIOUS EYE DAMAGE | 1 |

**PICTOGRAM(S)**

**Precautionary Statements**

**Prevention:**
P210 - Keep away from heat, sparks, open flames, hot surfaces - no smoking.
P234 - Keep only in original packaging.
P261 - Avoid breathing mist/vapours.
P264 - Wash affected area thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves, clothing, eye and face protection.

**Response:**
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing.

P304+P340+P310 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use foam, dry chemical or carbon dioxide to extinguish.
P390 - Absorb spillage to prevent material damage.
P301+P312 - If SWALLOWED: Immediately call poison control or physician if you feel unwell.

**Storage:** P403 - Store in a well-ventilated place.
P405 - Store locked up.

**Disposal:** P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

**Other hazards** Not available.

Classification complies with Canadian Hazardous Products Regulations and is consistent with the provision of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**See Section 11 for additional toxicological information.**

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Weight %* |
|---|---|---|
| Phosphoric acid | 7664-38-2 | 10 - 30 |
| 2-Butoxyethanol | 111-76-2 | 10 - 30 |
| Potassium dihydrogenorthophosphate | 7778-77-0 | 1 - 5 |
| Alkylphenol ethoxylate | 9036-19-5 | 1 - 5 |
| Hydrogen fluoride | 7664-39-3 | 0.1 - 1 |

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

## 4. FIRST AID MEASURES

**First Aid Measures by likely routes of exposure**

**Inhalation:** If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist. If breathing is difficult, give oxygen. Trained personnel should administer 2.5% calcium gluconate through a nebulizer for 20 minutes.

**Skin contact:** Remove contaminated clothing and footwear while rinsing the affected area with large amounts of running water for at least 15 minutes. GET IMMEDIATE MEDICAL ATTENTION. If iced solution of 0.13% aqueous Benzalkonium Chloride (Zephiran) or 2.5% calcium gluconate gel is available, rinsing may be limited to 5 minutes, with the soak solution or gel applied as soon as the rinsing is stopped. Gloves should be worn when applying the gel to prevent transfer of HF and secondary burns. If using calcium gluconate gel, it should be continuously re-applied and massaged into the affected area until pain has been relieved for at least 30 minutes. If Benzalkonium Chloride (Zephiran) or calcium gluconate gel is not available, rinsing must continue until medical treatment is provided.

**Eye contact:** Immediately flush affected eye with large amounts of gently flowing water or 0.9% sterile saline solution for at least 15 minutes. Hold eyelid wide open. Get immediate medical attention. Eye flushing should continue during transportation to a doctor.

| | |
|---|---|
| **Ingestion:** | Get immediate medical attention. Do not induce vomiting. Attempt immediate administration of a fluoride binding substance: milk, chewable calcium carbonate tablets or 4-8 ounces (120-240 ml) of milk of magnesia or a liquid antacid. Avoid large amounts of liquid as it may induce vomiting. Never give anything by mouth to an unconscious person. |
| **Most important symptoms and effects (acute and delayed):** | The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information. |
| **Indication of any immediate medical attention / special treatment needed:** | Treatment of hypocalcemia associated with corrosive fluoride compounds exposure may be corrected by intravenous calcium gluconate or calcium chloride. Treatment of hypomagnesemia may be corrected by intravenous magnesium sulfate. |

## 5. FIRE FIGHTING MEASURES

| | |
|---|---|
| **Extinguishing media:** | Water spray (fog), foam, dry chemical or carbon dioxide. |
| **Improper extinguishing agents:** | Not available. |
| **Special firefighting procedures:** | Wear full protective clothing. Wear self-contained breathing apparatus. |
| **Unusual fire or explosion hazards:** | May liberate large quantities of dense, foul-smelling smoke which may contain unidentified toxic gasses. Fire and explosion hazards are moderate when this product is exposed to heat or flame. Vapors are heavier than air and may travel along floor to an ignition source. |
| **Hazardous combustion products:** | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen fluoride. |

## 6. ACCIDENTAL RELEASE MEASURES

**Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.**

| | |
|---|---|
| **Environmental precautions:** | Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up. Do not allow product to enter sewer or waterways. |
| **Clean-up methods:** | Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations. |

## 7. HANDLING AND STORAGE

| | |
|---|---|
| **Handling:** | Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid breathing vapors or mists of this product. Keep away from heat, spark and flame. For industrial use only. Do not take internally. |
| **Storage:** | For safe storage, store between 40 °F (4.4 °C) and 100 °F (37.8 °C)<br>Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Do not pressurize, cut, heat or weld containers. Empty product containers may contain product residue. Do not reuse empty containers. Thaw and mix thoroughly if frozen. |

**For information on product shelf life contact Canada Customer Service.**

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.**

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|---|---|---|---|---|
| Phosphoric acid | 3 mg/m3 STEL<br>1 mg/m3 TWA | 1 mg/m3 PEL | None | None |
| 2-Butoxyethanol | 20 ppm TWA | 50 ppm (240 mg/m3) PEL (SKIN) | None | None |
| Hydrogen fluoride | (SKIN) (as F)<br>0.5 ppm TWA (as F)<br>2 ppm Ceiling (as F) | 2.5 mg/m3 PEL (as F)<br>3 ppm TWA | None | None |

**Engineering controls:** Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

**Respiratory protection:** If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

**Eye/face protection:** Wear chemical goggles; face shield (if splashing is possible).

**Skin protection:** Wear impervious gloves for prolonged contact. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Liquid
**Color:** Colourless / Colorless
**Odor:** Solvent
**Odor threshold:** Not available.
**pH:** < 2
**Vapor pressure:** Not determined
**Boiling point/range:** > 200 °F (> 93.3 °C)
**Melting point/ range:** 15 °F (-9.4 °C)
**Density/Relative density:** 1.12 - 1.16 at 15.6 °C (60.08 °F)
**Relative vapor density:** Not determined
**Flash point:** 62.8 °C (145.04 °F) Tagliabue closed cup
**Flammable/Explosive limits - lower:** Not available.
**Flammable/Explosive limits - upper:** Not available.
**Autoignition temperature:** Not applicable
**Flammability:** Not applicable
**Evaporation rate:** Not available.
**Solubility:** Complete Water
**Partition coefficient n-octanol/water (logarithmic value):** Not determined
**VOC content:** 14 % (by weight) (estimated)
**Dynamic viscosity:** Not available.
**Kinematic viscosity:** Not available.
**Particle characteristics:** Not available.
**Decomposition temperature:** Not available.

## 10. STABILITY AND REACTIVITY

| | |
|---|---|
| **Stability:** | Stable under normal conditions of storage and use. |
| **Hazardous reactions:** | None under normal processing. |
| **Hazardous decomposition products:** | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. May liberate hydrogen fluoride. |
| **Incompatible materials:** | This product may react with strong acids, bases and oxidizing agents. This material will react with glass, concrete, certain metals, silica containing materials, rubber, leather, and many organics. |
| **Reactivity:** | Not available. |
| **Conditions to avoid:** | Keep away from heat, ignition sources and incompatible materials. |

## 11. TOXICOLOGICAL INFORMATION

| | |
|---|---|
| **Likely routes of exposure:** | Skin, Inhalation, Eyes, Ingestion |

**Potential Health Effects/Symptoms**

**Inhalation:** Mists, vapors or liquid may cause severe irritation or burns. Contains fluorides. Exposure to fluorides over years may cause fluorosis.

**Skin contact:** This product is severely irritating to the skin and may cause burns. Liquid or vapor can cause fluoride-type irritation or burns which may not be immediately painful or visible. Hydrofluoric acid will penetrate the skin and attack underlying tissue and bone. Large burns (over 25 square inches) may also cause hypocalcemia and other systemic effects which may be fatal. Mists, vapors or liquid may cause severe irritation or burns. Causes skin burns. Toxic.

**Eye contact:** This product is severely irritating to the eyes and may cause irreversible damage including burns and blindness. Causes serious eye damage.

**Ingestion:** Ingestion of small amounts of this product may result in potentially fatal hypocalcemia and systemic toxicity. Ingestion of large amounts of this product may result in fluoride poisoning including symptoms of calcification of the ligaments and severe bone changes making normal movements painful, mottling of the teeth, pulmonary fibrosis, anemia, anorexia, dental effects, and possibly death. Ingestion causes burns of the upper digestive and respiratory tracts. Contains fluorides. Exposure to fluorides over years may cause fluorosis.

| Hazardous Component(s) | LD50s and LC50s |
|---|---|
| Phosphoric acid | Oral LD50 (Rat) = 1,530 mg/kg<br>Dermal LD50 (Rabbit) = 2,740 mg/kg |
| 2-Butoxyethanol | Oral LD50 (Rat) = 560 mg/kg<br>Oral LD50 (Mouse) = 1.2 g/kg<br>Oral LD50 (Rabbit) = 0.32 g/kg<br>Oral LD50 (Rat) = 1.48 g/kg<br>Oral LD50 (Mouse) = 1,519 mg/kgDermal LD50 (Rabbit) = 400 mg/kg<br>Inhalation LC50 (Rat, 4 h) = 523 ppm<br>Inhalation LC50 (Rat, 4 h) = 545 ppm |
| Potassium dihydrogenorthophosphate | Oral LD50 (Mouse) +/- 1,700 mg/kg<br>Inhalation LC50 (Rat, 4 h) = > 0.83 mg/l |
| Alkylphenol ethoxylate | None |
| Hydrogen fluoride | None |

| Hazardous Component(s) | Immediate Health Effects | Delayed Health Effects | Chronic Health Effects |
|---|---|---|---|
| Phosphoric acid | Irritant<br>Corrosive | | |
| 2-Butoxyethanol | Irritant | | Blood<br>Central nervous system<br>Kidney<br>Liver |
| Potassium dihydrogenorthophosphate | Irritant | | Gastrointestinal<br>Metabolic |
| Alkylphenol ethoxylate | Irritant | | |
| Hydrogen fluoride | Corrosive<br>Irritant | Allergen | Blood<br>Bone Marrow<br>Cardiac<br>Central nervous system<br>Kidney<br>Liver<br>Lung<br>Muscle<br>Nervous System<br>Respiratory<br>Teeth |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|---|---|---|---|
| Phosphoric acid | No | No | No |
| 2-Butoxyethanol | No | No | No |
| Potassium dihydrogenorthophosphate | No | No | No |
| Alkylphenol ethoxylate | No | No | No |
| Hydrogen fluoride | No | No | No |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

## 13. DISPOSAL CONSIDERATIONS

**Information provided is for unused product only.**

**Recommended method of disposal:** Dispose of according to Federal, State and local governmental regulations. This product contains a alkylphenol or nonylphenol ethoxylate.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

**Canada Transportation of Dangerous Goods - Ground**

| | |
|---|---|
| **Proper shipping name:** | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid, Hydrofluoric acid) |
| **Hazard class or division:** | 8 |
| **Identification number:** | UN 3264 |
| **Packing group:** | II |

**International Air Transportation (ICAO/IATA)**

| | |
|---|---|
| **Proper shipping name:** | Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Hydrofluoric acid) |
| **Hazard class or division:** | 8 |
| **Identification number:** | UN 3264 |
| **Packing group:** | II |

**Water Transportation (IMO/IMDG)**

| | |
|---|---|
| **Proper shipping name:** | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid, Hydrofluoric acid) |
| **Hazard class or division:** | 8 |
| **Identification number:** | UN 3264 |
| **Packing group:** | II |

## 15. REGULATORY INFORMATION

**Canada Regulatory Information**

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

**United States Regulatory Information**

**TSCA 8 (b) Inventory Status:** All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.

## 16. OTHER INFORMATION

**This safety data sheet contains changes from the previous version in sections:** New Safety Data Sheet format.

**Prepared by:** Product Safety and Regulatory Affairs

**Issue date:** 05/01/2025

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Canadian Hazardous Products Regulations (WHMIS 2015) and provides information in accordance with Canadian law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.